

## Neon Flex

### Product Specification

Color type	<b>Single Color</b>	●
Output color	<b>2700</b>	
CRI	<b>90</b>	
Decoding IC	-	●
LED/ Pixel	-	
Control type	<b>PWM</b>	●
Voltage (V)	<b>24</b>	
Power (W/m)	<b>25</b>	
Efficacy (Lm/W)	<b>76</b>	●
Luminous flux (Lm/M)	<b>1900</b>	
Beam angle (°)	<b>40</b>	
Cutting interval (mm)	<b>250</b>	●
Maximum length single feed (m)	<b>5</b>	
Maximum length double feed (m)	-	●
Width (mm)	<b>30</b>	
Height (mm)	<b>22</b>	
Bending radius (mm)	<b>800</b>	●
Weight (kg)	-	
Operating temperature (°C)	<b>-20C~+50</b>	●
Storage temperature (°C)	-	●
IP rating	<b>68</b>	
Warranty (year)	<b>3</b>	●

Approvals




### Product information


Product category	<b>Neon Flex</b>
Neonflex type	<b>3D bending</b>
Product name	<b>VNL-3D300-24-40-27K</b>

### Technical drawing

## System Diagram: RF



## System Diagram: DALI



### System Diagram: DMX

