

# VNL-3D32R-24-DMX-RGBW-27K

## Neon Flex

### Product Specification

|                                |                     |
|--------------------------------|---------------------|
| Color type                     | RGBW                |
| Output color                   | 2700,Red,Green,Blue |
| CRI                            | 90                  |
| Decoding IC                    | -                   |
| LED/ Pixel                     | -                   |
| Control type                   | DMX                 |
| Voltage (V)                    | 24                  |
| Power (W/m)                    | 27.55               |
| Efficacy (Lm/W)                | 20                  |
| Luminous flux (Lm/M)           | 561                 |
| Beam angle (°)                 | 360                 |
| Cutting interval (mm)          | -                   |
| Maximum length single feed (m) | 3                   |
| Maximum length double feed (m) | -                   |
| Width (mm)                     | 32                  |
| Height (mm)                    | 32                  |
| Bending radius (mm)            | 300                 |
| Weight (kg)                    | -                   |
| Operating temperature (°C)     | -                   |
| Storage temperature (°C)       | -                   |
| IP rating                      | 67                  |
| Warranty (year)                | -                   |

### Approvals




### Product information


|                  |                           |
|------------------|---------------------------|
| Product category | Neon Flex                 |
| Neonflex type    | 3D bending                |
| Product name     | VNL-3D32R-24-DMX-RGBW-27K |




### Technical drawing



## System Diagram: RF



## System Diagram: DALI



## System Diagram: DMX

